

flex **O** vit

INDUSTRIAL PERFORMANCE ABRASIVES



Mega-Line

GRINDING AND
CUTTING-OFF
WHEELS

Mega-Line

BF27

Mega-Line is Flexovit's premium quality range of conventional abrasive grinding and cutting-off wheels, developed to meet the demands of the most discerning users of portable abrasive wheels. Mega-Line products

are faster working with longer life returning lower costs. The products have been designed with higher safety values and to be operator friendly and easy to use, satisfying the requirements of the professional user.

Dimensions: diameter x thickness x arbor hole

Safety pictograms

Field of application

Maximum peripheral speed

Red speed stripe = 80 m/s

Safety pictograms

Product specification

Product code; for use when re-ordering








European standard EN12413

oSa logo - The organisation for Safety of Abrasives










Grinding wheels type BF27



Application	Machine	Product code	Order code	Dimensions	Specification		EAN-code
 <p>A 30 P HP</p> <ul style="list-style-type: none"> • Steel / Stainless steel • Iron, sulphur and chlorine free • Fast metal removal • Easy to use 		A2276	66252919665	125x7,0x22,2	A 30 P-BF27 HP	10	8711479378621
		A5276	66252829243	180x7,0x22,2	A 30 P-BF27 HP	10	8711479108464
		A5568	66252919696	180x8,0x22,2	A 30 P-BF27 HP	10	8711479330711
		A8276	66252829272	230x7,0x22,2	A 30 P-BF27 HP	10	8711479333118
		A8530	66252919724	230x8,0x22,2	A 30 P-BF27 HP	10	8711479333125
 <p>A 30 W</p> <ul style="list-style-type: none"> • Steel / Stainless steel • Heavy grinding jobs • Very long life 		A1280	66252919149	115x7,0x22,2	A 30 W-BF27	10	8711479259449
		A2320	66252919150	125x7,0x22,2	A 30 W-BF27	10	8711479259661
		A3303	66252919674	150x7,0x22,2	A 30 W-BF27	10	8711479269127
		A5380	66252919151	180x7,0x22,2	A 30 W-BF27	10	8711479259883
		A5520	66252829249	180x8,0x22,2	A 30 W-BF27	10	8711479259968
		A8380	66252919153	230x7,0x22,2	A 30 W-BF27	10	8711479261176
		A8515	66252919720	230x8,0x22,2	A 30 W-BF27	10	8711479260247
 <p>A 30 Q</p> <ul style="list-style-type: none"> • Stainless steel • Iron, sulphur and chlorine free • Fast metal removal • Long life • Easy to use 		A1275	66252919148	115x7,0x22,2	A 30 Q-BF27 INOX	10	8711479259401
		A2315	66252833006	125x7,0x22,2	A 30 Q-BF27 INOX	10	8711479259623
		A3301	66252919673	150x7,0x22,2	A 30 Q-BF27 INOX	10	8711479260988
		A5378	66252833013	180x7,0x22,2	A 30 Q-BF27 INOX	10	8711479259845
		A5521	66252919691	180x8,0x22,2	A 30 Q-BF27 INOX	10	8711479259982
		A8375	66252919713	230x7,0x22,2	A 30 Q-BF27 INOX	10	8711479260148
		A8510	66252919719	230x8,0x22,2	A 30 Q-BF27 INOX	10	8711479261190

Cutting-off wheels type BF41











Application	Machine	Product code	Order code	Dimensions	Specification		EAN-code
 <p>A 60 W A 46 W A 30 W</p> <ul style="list-style-type: none"> • Steel • Iron, Sulphur and Chlorine free • Very long life • Fast metal removal • Easy to use 		F1190	66252832592	115x1,0x22,2	A 60 W-BF41	25	8711479293191
		F1210	66252833016	115x1,6x22,2	A 46 W-BF41	25	8711479293238
		F1357	66252833017	125x1,0x22,2	A 60 W-BF41	25	8711479293252
		F1390	66252833019	125x1,6x22,2	A 46 W-BF41	25	8711479293290
		F1222	66252919973	115x2,0x22,2	A 30 W-BF41	25	8711479299117
		F1422	66252950809	125x2,0x22,2	A 30 W-BF41	25	8711479299124
		F2082	66252920036	180x2,0x22,2	A 30 W-BF41	25	8711479299131
		F3076	66243451721	230x2,0x22,2	A 30 W-BF41	25	8711479299148
		F1248	66252919981	115x2,5x22,2	A 30 W-BF41	25	8711479256868
		F1442	66252920009	125x2,5x22,2	A 30 W-BF41	25	8711479120824
		F1764	66252920024	150x2,5x22,2	A 30 W-BF41	25	8711479269165
		F2193	66252920044	180x2,5x22,2	A 30 W-BF41	25	8711479257049
		F2301	66252831067	180x3,0x22,2	A 30 W-BF41	25	8711479257087
		F3162	66252920066	230x2,5x22,2	A 30 W-BF41	25	8711479299155
F3302	66252920074	230x3,0x22,2	A 30 W-BF41	25	8711479257223		
 <p>A 60 V A 36 V A 46 V</p> <ul style="list-style-type: none"> • Stainless steel • Iron, Sulphur and Chlorine free • Very long life • Fast metal removal • Easy to use 		F1195	66252832594	115x1,0x22,2	A 60 V-BF41 INOX	25	8711479293214
		F1209	66252832920	115x1,6x22,2	A 46 V-BF41 INOX	25	8711479303203
		F1358	66252832599	125x1,0x22,2	A 60 V-BF41 INOX	25	8711479293276
		F1389	66252919145	125x1,6x22,2	A 46 V-BF41 INOX	25	8711479303227
		F2020	66252832607	180x1,6x22,2	A 36 V-BF41 INOX	25	8711479312946
		F3070	66252832923	230x1,9x22,2	A 36 V-BF41 INOX	25	8711479318740
 <p>A 24 V</p> <ul style="list-style-type: none"> • Stainless steel • Iron, Sulphur and Chlorine free • Very long life • Fast metal removal • Easy to use 		F1221	66252919380	115x2,0x22,2	A 24 V-BF41 INOX	25	8711479299162
		F1421	66252919381	125x2,0x22,2	A 24 V-BF41 INOX	25	8711479299179
		F2081	66252919382	180x2,0x22,2	A 24 V-BF41 INOX	25	8711479299186
		F3075	66252919383	230x2,0x22,2	A 24 V-BF41 INOX	25	8711479299193
		F1240	66252919977	115x2,5x22,2	A 24 V-BF41 INOX	25	8711479261701
		F1440	66252920007	125x2,5x22,2	A 24 V-BF41 INOX	25	8711479261787
		F1763	66252920023	150x2,5x22,2	A 24 V-BF41 INOX	25	8711479261824
		F2182	66252920042	180x2,5x22,2	A 24 V-BF41 INOX	25	8711479261862
		F2306	66252920050	180x3,0x22,2	A 24 V-BF41 INOX	25	8711479261886
		F3161	66252920065	230x2,5x22,2	A 24 V-BF41 INOX	25	8711479299209
		F3296	66252919221	230x3,0x22,2	A 24 V-BF41 INOX	25	8711479261923



BF41

Cutting-off wheels type BF42



Application	Machine	Product code	Order code	Dimensions	Specification	 EAN-code
 A60V • Steel / Stainless steel • Precise and straight cutting • Fast cutting • Iron, Sulphur and Chlorine free		A0468	66252833241	115x0,8x22,2	A 60 V-BF42	25 8711479378911
		A1500	66252833242	125x0,8x22,2	A 60 V-BF42	25 8711479378935
 A30 W • Steel • Very long life • Fast metal removal • Easy to use		A0501	66252919155	115x2,5x22,2	A 30 W-BF42	25 8711479259241
		A1651	66252919156	125x2,5x22,2	A 30 W-BF42	25 8711479259487
		A3490	66252919678	180x2,5x22,2	A 30 W-BF42	25 8711479261213
		A6626	66252919703	230x2,5x22,2	A 30 W-BF42	25 8711479261091
		A0535	66252919648	115x3,0x22,2	A 30 W-BF42	25 8711479331725
		A1708	66252919660	125x3,0x22,2	A 30 W-BF42	25 8711479264269
		A3840	66252919157	180x3,0x22,2	A 30 W-BF42	25 8711479261039
 A24 V • Stainless steel • Iron, Sulphur and Chlorine free • Very long life • Fast metal removal • Easy to use		A6710	66252832569	230x3,0x22,2	A 30 W-BF42	25 8711479261138
		A0495	66252919154	115x2,5x22,2	A 24 V-BF42 INOX	25 8711479260889
		A1645	66252919657	125x2,5x22,2	A 24 V-BF42 INOX	25 8711479260902
		A2659	66252919669	150x2,5x22,2	A 24 V-BF42 INOX	25 8711479260940
		A3477	66252919676	180x2,5x22,2	A 24 V-BF42 INOX	25 8711479331749
		A6617	66252919702	230x2,5x22,2	A 24 V-BF42 INOX	25 8711479331763
		A0530	66252919647	115x3,0x22,2	A 24 V-BF42 INOX	25 8711479331787
		A1707	66252919659	125x3,0x22,2	A 24 V-BF42 INOX	25 8711479264245
		A3845	66252919679	180x3,0x22,2	A 24 V-BF42 INOX	25 8711479261053
		A6705	66252829578	230x3,0x22,2	A 24 V-BF42 INOX	25 8711479261114

SAINT-GOBAIN
ABRASIVES

Saint-Gobain Abrasives B.V.
Flexovit Export Division
Groenloseweg 28
7151 HW Eibergen
P.O. Box 10, 7150 AA Eibergen
The Netherlands
Tel.: +31 (0)545 - 471766
Fax: +31 (0)545 - 475916
www.flexovit.com
export@flexovit.com

Saint-Gobain Abrasives NV / SA
Heide 10, B-1780 Wommel
België
Tel.: +32 (0)2 - 267 21 00
Fax: +32 (0)2 - 267 84 24
E-mail:
abx.office@saint-gobain.com
www.flexovit.com

Safety pictograms



Wear ear protection



Wear gloves



Wear eye protection



Read the instructions



Wear a dust mask



Free of iron, sulphur and chlorine



Not permitted for face grinding, cutting only



Do not use a damaged wheel



Do not use on hand-held grinders

How to use the machine



Angle grinder (cutting-off)



Angle grinder (grinding)

Application pictograms



Stainless steel



Steel



www.fepa-abrasives.org



www.osa-abrasives.org



The personal safety of workers using abrasive cutting and grinding wheels is the primary concern of Flexovit and Saint-Gobain Abrasives. All Flexovit abrasive wheels are developed, manufactured and safety tested in accordance with the European standard Fepa "EN12413 - Safety requirements for bonded abrasive products". In addition, all Flexovit products meet the strict requirements of the international safety organisation oSa. Saint-Gobain Abrasives has an ISO 9001 certified quality management system and an ISO 14001 certified environmental management system.